1/10









Fig.2.













SUBSTITUTE SHEET (RULE 26)




PCT/GB00/01020


4/10




-ig.5.




6/10



5/10






8/10


Fig.8.


(A)
Pre-Contrast Image

(B)
Post-Contrast Image




(D) Motion Field







(G)
Pre/Post Split Image




9/10

Fig.9. (A) (B)
Pre-Contrast Image
Post-Contrast Image







SUBSTITUTE SHEET (RULE 26)

10/10

Fig. 10.




Fig.11.

A

30 30 30 30 30 35 45 50 45

30 30 30 30 30 40 5010050

30 30 30 30 30 35 45 50 45

30 30 30 30 30 30 30 30 30

30 30 30 30 30 30 30 20 0

30 30 30 30 30 30 30 20

30 30 30 30 30 30 30 30 20

30 30 30 30 30 30 30 30 20

30 30 30 30 30 30 30 30 20

Optic flow corresponding to maximum score is (3,3)

В

40 50 60 70 80 80 80 80 80

40 50 65 75 100100100100100

40 50 60 70 85 85 85 85 85

40 45 55 60 70 70 70 70 70

40 40 40 40 40 40 40 40 40

40 40 40 40 40 40 40 40 40

40 40 40 40 40 40 40 40 40

40 40 40 40 40 40 40 40 40

Optic flows corresponding to maximum score are (0,3), (1,3),(2,3),(3,3),(4,3)